		<b>ZLS</b> TermoPasty						
	according to Commission Regulation (EU) 2020/878 as amended							
		Olej w	vazelinowy					
	on date	18th January 2023						
Revisi	on date	08th February 2023	Version	4.0				
SECT	ON 1: Identificatio	n of the substance/mixture a	and of the company/u	ndertaking				
1.1.	Product identifier		Olej wazelinowy					
	Substance / mixture	e	mixture					
	UFI		G030-P044-P00I	D-YKNJ				
1.2. Relevant identified uses of the substance or mixture and uses advised against		ed against						
	Mixture's intende	d use						
	Lubricating agent.							
	Main intended us	e						
	PC-TEC-11	Lubricants, greases	s, release agents					
	Mixture uses advi	ised against						
	The product should	not be used in ways other than	those referred in Section	n 1.				
1.3.	Details of the sup	plier of the safety data shee	t					
	Manufacturer							
	Name or trad	e name	AG TermoPasty	Grzegorz Gąsowski				
	Address		Kolejowa 33 E, S	Sokoły, 18-218				
			Poland					
		number (CRN)	200133730					
	VAT Reg No		PL9661767714					
	Phone		862741342					
	E-mail		biuro@termopas	sty.pl				
	Web address		www.termopasty	y.pl				
	• •	n responsible for the safety o						
	Name			Grzegorz Gąsowski				
	E-mail		biuro@termopas	sty.pl				
1.4.	Emergency teleph							
	European emergen	cy number: 112						

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008** The mixture is classified as dangerous.

Aerosol 1, H229, H222

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

# 2.2. Label elements

Hazard pictogram



Signal word Danger

Hazard statements	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.



according to Commission Regulation (EU) 2020/878 as amended

Olej wazelinowy							
Creation date	18th January 2023						
Revision date	08th February 2023	Version	4.0				
P251 Do not pierce or burn, even after use.							

P410+P412

Protect from sunlight. Do no expose to temperatures exceeding 50 °C.

2.3. **Other hazards** 

> The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 32 Mixtures

#### Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	33-44	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	11-22	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 8042-47-5 EC: 232-455-8 Registration number: 01-2119487078-27- XXXX	White mineral oil			

#### Notes

A substance for which exposure limits are set. 1

Full text of all classifications and hazard statements is given in the section 16.

### **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1.

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. If swallowed

Unlikely.

#### 4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes When intruding eyes, it can evoke irritation. If swallowed Not expected.

#### 4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.



according to Commission Regulation (EU) 2020/878 as amended

# Olej wazelinowy

Creation date 18th January 2023 Revision date 08th February 2023 Version 4.0						
Revision date 08th February 2023 Version 4.0	Creation date	18th January 2023				
	Revision date	08th February 2023	Version	4.0		

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

**6.4.** Reference to other sections See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
300 ml	airspray	FE
Specific end use(s)		

# not available

7.3.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)			
Substance name (component)	Туре	Value		
	WEL 8h	1450 mg/m <sup>3</sup>		
$h_{\rm chenge}$ (CAC: 10C 07.8)	WEL 8h	600 ppm		
butane (CAS: 106-97-8)	WEL 15min	1810 mg/m <sup>3</sup>		
	WEL 15min	750 ppm		



according to Commission Regulation (EU) 2020/878 as amended

# Olej wazelinowy

	0.01					
Creation date	18th January 2023					
Revision date	08th February 2023	Version	4.0			

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

## Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

#### Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	gas
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
Relative vapour density	data not available
Particle characteristics	data not available
Form	aerosol
Other information	
Evaporation rate	non-applicable

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

9.2.

not available 10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

# Olej wazelinowy

Creation date	18th January 2023					
Revision date	08th February 2023	Version	4.0			

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

# Carcinogenicity

Based on available data the classification criteria are not met.

### **Reproductive toxicity**

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Aspiration hazard

Based on available data the classification criteria are not met.

#### **11.2.** Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

12.1. Toxicity

#### Acute toxicity

12.2. Persistence and degradability not available

### 12.3. Bioaccumulative potential

Data not available.

#### 12.4. Mobility in soil

Data not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

Data not available.



according to Commission Regulation (EU) 2020/878 as amended

# Olej wazelinowy

	U			
Creation date	18th January 2023			
Revision date	08th February 2023	Version	4.0	

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances \*

#### Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

### **SECTION 14: Transport information**

14.1.	UN number or ID number	
	UN 1950	
14.2.	UN proper shipping name AEROSOLS	
14.3.	Transport hazard class(es)	
	2 Gases	
14.4.	Packing group	
	not relevant	
14.5.	Environmental hazards	
	not relevant	
14.6.	Special precautions for user	
	Reference in the Sections 4 to 8.	
14.7.	Maritime transport in bulk according to	IMO instruments
	not relevant	
	Additional information	
	Hazard identification No.	
	UN number	1950
	Classification code	5F
	Safety signs	2.1
		2
	Air transport - ICAO/IATA	
	Packaging instructions passenger	203
	Cargo packaging instructions	203
	Marine transport - IMDG	
	EmS (emergency plan)	F-D, S-U
	MFAG	620



according to Commission Regulation (EU) 2020/878 as amended

# Olej wazelinowy

Creation date	18th January 2023			
Revision date	08th February 2023	Version	4.0	

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

#### **SECTION 16: Other information**

A list of standard risk phrase	es used in the safety data sheet
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
Guidelines for safe handling	used in the safety data sheet
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
Other important information	about human health protection
The product must not be - unle as per the Section 1. The user i	ess specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.
Key to abbreviations and ac	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
ΙΑΤΑ	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations



according to Commission Regulation (EU) 2020/878 as amended

		Julation (EU) 2020/878 a	is amenueu				
Olej wazelinowy							
Creation date	18th January 2023						
Revision date	08th February 2023	Version	4.0				
UVCB		Substances of unknown or variable composition, complex reaction products or biological materials					
VOC	Volatile organic cor	Volatile organic compounds					
vPvB	Very Persistent and	Very Persistent and very Bioaccumulative					
Aerosol	Aerosol						
Flam. Gas	Flammable gas						
Press. Gas	Gases under press	ıre					
Training guide	lines						
Inform the pers ways of handling	onnel about the recommended way g the product.	s of use, mandatory pro	tective equipment, first aid	and prohibited			
Recommended	restrictions of use						
not available							
Information al	pout data sources used to comp	ile the Safety Data Sh	eet				
REGULATION (E	C) No. 1907/2006 OF THE EURO C) No. 1272/2008 OF THE EUROP er of the substance / mixture, if ava	EAN PARLIAMENT AND	OF THE COUNCIL as amend	,			
The changes (	which information has been add	ed, deleted or modifie	:d)				
The version 4.0	replaces the SDS version from 18	lanuary 2023. Changes v	vere made in sections 1, 2,	13, 15 and 16			
More informat	ion						

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.