

according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

18th January 2023 Creation date

Revision date 21st April 2023 6.0 Version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier Preparat penetrująco-smarujący

Substance / mixture mixture

3G40-80UV-V00T-7DJN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Lubricating agent.

Main intended use

PC-TEC-11 Lubricants, greases, release agents

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name AG TermoPasty Grzegorz Gąsowski Address

Kolejowa 33 E, Sokoły, 18-218

Poland

Identification number (CRN) 200133730 VAT Reg No PL9661767714 Phone 862741342

biuro@termopasty.pl E-mail Web address www.termopasty.pl

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

F-mail biuro@termopasty.pl

Emergency telephone number 1.4.

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222 Asp. Tox. 1, H304

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways.

2.2. **Label elements**

Hazard pictogram





Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated. H304 May be fatal if swallowed and enters airways.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.
P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 918-481-9 Registration number: 01-2119457273-39- XXXX	Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic	40-50	Asp. Tox. 1, H304 EUH066	
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	30-40	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	10-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-25- XXXX	[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	<0,2835		1
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic	<0,2475	Asp. Tox. 1, H304	1, 3
CAS: 100-51-6 EC: 202-859-9	benzyl alcohol	≤0,0003	Acute Tox. 4, H302 Eye Irrit. 2, H319	
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6	methanol	≤0,000006 3	Flam. Liq. 2, H225 Acute Tox. 3, H301, H311, H331 STOT SE 1, H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10$ % STOT SE 2, H371: $3 \% \le C < 10$ %	2, 3

Notes

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

- 2 A substance for which exposure limits are set.
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

Not expected.

If in eyes

When intruding eyes, it can evoke irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale gases and vapours.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale gases and vapours. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
100 ml	airspray	FE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission	Directive	2006	/15/EC
------------	-----------	------	--------

Substance name (component)	Туре	Value	Note
methanol (CAS: 67-56-1)	OEL 8 hours	260 mg/m ³	Skin
methanor (CAS: 67-36-1)	OEL 8 hours	200 ppm	SKIII

DNEL

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 $^{\circ}$ F (19cSt at 40 $^{\circ}$ C) . It contains a relatively large proportion of saturated hydrocarbons.]

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m³/8h	Chronic effects systemic		
Consumers	Inhalation	1.2 mg/kg/24h	Chronic effects systemic		

Distillates (petroleum), hydrotreated light paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Inhalation	1.2 mg/m³/24h	Chronic effects systemic		aerozol (areosol)
Workers	Inhalation	5.4 mg/m³/8h	Chronic effects systemic		aerozol (areosol)



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed. **Skin protection**

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Respirator.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state gas

Colour colourless

Odour characteristic

Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range data not available

Flammability Extremely flammable aerosol.

Lower and upper explosion limitdata not availableFlash pointdata not availableAuto-ignition temperaturedata not availableDecomposition temperaturedata not available

pH gas

Kinematic viscosity data not available data not available Solubility in water Solubility in fats data not available Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available Density and/or relative density data not available Relative vapour density data not available Particle characteristics data not available

Form spray

9.2. Other information

Evaporation rate non-applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 $^{\circ}$ F (19cSt at 40 $^{\circ}$ C) . It contains a relatively large proportion of saturated hydrocarbons.]

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>5000 mg/kg		Rat	
Skin	LD50		>5000 mg/kg		Rabbit	
Inhalation	LC50		>5 mg/l	4 hours	Rat	

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		>5000 mg/kg		Rat	
Dermal	LD50		>5000 mg/kg		Rabbit	
Inhalation	LC50		>5.53 mg/l		Rat	

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat	
Inhalation	LC50	OECD 403	>5000 mg/m ³	4 hours	Rat	
Dermal	LD50	OECD 402	>5000 mg/kg bw		Rabbit	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 $^{\circ}$ F (19cSt at 40 $^{\circ}$ C) . It contains a relatively large proportion of saturated hydrocarbons.]

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	96 hours	Fish (Pimephales promelas)	Fresh water
NOEL	≥10000 mg/l	48 hours	Invertebrates (Daphnia magna)	Fresh water
NOEL	≥100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	Fresh water

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Value	Exposure time	Species	Environment
CE50	>10000 mg/l	48 hours	Invertebrates (Daphnia magna)	
CE ₅₀	>100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
CE50	>100 mg/l	96 hours	Fish (Pimephales promelas)	

Chronic toxicity

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 $^{\circ}$ F (19cSt at 40 $^{\circ}$ C) . It contains a relatively large proportion of saturated hydrocarbons.]

Parameter	Value	Exposure time	Species	Environment
NOEL	>1000 mg/l	28 days	Fish (Pimephales promelas)	Fresh water
NOEL	100 mg/l	21 days	Bacteria (Daphnia magna)	Fresh water

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	100 mg/l	21 days	Invertebrates	
NOEL	>1000 mg/l	28 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

6.0 Revision date 21st April 2023 Version

Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other adverse effects 12.7.

Not available.

SECTION 13: Disposal considerations

Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances *

Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

Additional information

Hazard identification No.

UN number Classification code

Safety signs



5F





according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

Air transport - ICAO/IATA

Packaging instructions passenger 203
Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U MFAG 620

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Distillates (petroleum), hydrotreated light paraffinic

Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or, — in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: — either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, — the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users".
	2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: — motor fuels which are covered by Directive 98/70/EC, — mineral oil products intended for use as fuel in mobile or fixed combustion plants, — fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

methanol

mediano		
Restriction	Conditions of restriction	
69	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or	
	defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.	

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023

Revision date 21st April 2023 Version 6.0

A list of standard risk phrases used in the safety data sheet

H220 Extremely flammable gas.
 H222 Extremely flammable aerosol.
 H225 Highly flammable liquid and vapour.
 H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs.
H371 May cause damage to organs. **Guidelines for safe handling used in the safety data sheet**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

NOEL No observed effect level
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic



according to Commission Regulation (EU) 2020/878 as amended

Preparat penetrująco-smarujący

Creation date 18th January 2023
Revision date 21st April 2023 Version 6.0

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Aerosol Aerosol

Asp. Tox. Aspiration hazard
Eye Irrit. Eye irritation
Flam. Gas Flammable gas
Flam. Liq. Flammable liquid
Press. Gas Gases under pressure

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from 18 January 2023. Changes were made in sections 2 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.