

according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022

Revision date 08th February 2023 Version 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Termosonik PCB

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Cleaning agent.

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

 Identification number (CRN)
 200133730

 VAT Reg No
 PL9661767714

 Phone
 862741342

E-mail biuro@termopasty.pl Web address www.termopasty.pl

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

E-mail biuro@termopasty.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

none

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1 Registration number: 01-2119457435-35- XXXX	1-methoxy-2-propanol		Flam. Liq. 3, H226 STOT SE 3, H336	1



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022 Revision date 08th February 2023

08th February 2023 Version 7.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-070-00-6 CAS: 124-68-5 EC: 204-709-8	2-amino-2-methylpropanol		Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022

Revision date 08th February 2023 Version 7.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	375 mg/m ³	
	OEL 8 hours	100 ppm	
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 15 minutes	568 mg/m ³	Skin
	OEL 15 minutes	150 ppm	

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value	Note
	WEL 8h	375 mg/m³	
1 methovy 2 prepanel (CAS, 107,09, 2)	WEL 8h	100 ppm	Can be absorbed through the skin. The assigned substances are those for which there are
1-methoxy-2-propanol (CAS: 107-98-2)	WEL 15min	560 mg/m³	concerns that dermal absorption will lead to systemic toxicity.
	WEL 15min	150 ppm	



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022

Revision date 08th February 2023 Version 7.0

DNEL

1-methoxy-2-propanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Oral	3.3 mg/m³/24h	Chronic effects systemic		
Consumers	Inhalation	553.5 mg/m³	Acute effects systemic		
Consumers	Inhalation	369 mg/m ³	Chronic effects systemic		
Workers	Inhalation	43.9 mg/m ³	Chronic effects systemic		
Workers	Dermal	18.1 mg/m³/24h	Chronic effects systemic		
Consumers	Dermal	50.6 mg/m³/24h	Chronic effects systemic		

2-amino-2-methylpropanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	2.3 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	4.7 mg/m ³	Chronic effects systemic		

PNEC

1-methoxy-2-propanol

Route of exposure	Value	Value determination	Source
Drinking water	10 mg/l		
Marine water	1 mg/l		
Freshwater sediment	52.3 mg/kg		
Sea sediments	5.2 mg/kg		
Soil (agricultural)	4.59 mg/kg		

2-amino-2-methylpropanol

Route of exposure	Value	Value determination	Source
Drinking water	0.188 mg/l		
Freshwater sediment	0.71 mg/kg		
Drinking water	0.0188 mg/l		
Microorganisms in sewage treatment	10 mg/l		
Soil (agricultural)	0.03 mg/kg		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022 Revision date 08th February 2023

Version 7.0

brak danych rozpuszczalny

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

liquid Physical state Colour data not available Odour data not available Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available 11 (undiluted)

Kinematic viscosity data not available

Solubility in fats data not available
Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available

Density and/or relative density

Density 0,991 g/cm³
Relative vapour density data not available
Particle characteristics data not available

Form liquid

9.2. Other information

Solubility in water

Evaporation rate data not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-methoxy-2-propanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC50	27596 mg/m ³	3 hours	Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	
Oral	LD ₅₀	4016 mg/kg		Rat	



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022

Revision date 08th February 2023 Version 7.0

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

1-methoxy-2-propanol

Parameter	Value	Exposure time	Species	Environment
LC50	6812 mg/l	96 hours	Fish (Leuciscus idus)	
EC50	23300 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	>1000 mg/l	7 days	Other aquatic organisms (Pseudokirchneriella subcapitata)	
EC50	>1000 mg/l	3 hours	Bacteria	Activated sludge

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022 Revision date 08th February 2023

Version 7.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022
Revision date 08th February 2023 Version 7.0

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 7.0 replaces the SDS version from 12 January 2023. Changes were made in sections 1, 2, 12, 13, 15 and 16.

Statement



according to Commission Regulation (EU) 2020/878 as amended

Termosonik PCB

Creation date 29th September 2022 Revision date 08th February 2023

Version

7.0

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.