

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date 23rd September 2022  
Revision date 03rd March 2023 Version 10.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture Topnik AG-5  
mixture  
UFI T820-30WJ-W00X-1HDY
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Flux agent.  
**Main intended use**  
PC-TEC-24 Welding, soldering, and flux products  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name AG TermoPasty Grzegorz Gąsowski  
Address Kolejowa 33 E, Sokoły, 18-218  
Poland  
Identification number (CRN) 200133730  
VAT Reg No PL9661767714  
Phone 862741342  
E-mail biuro@termopasty.pl  
Web address www.termopasty.pl
- Competent person responsible for the safety data sheet**  
Name AG TermoPasty Grzegorz Gąsowski  
E-mail biuro@termopasty.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Flam. Liq. 2, H225  
Skin Irrit. 2, H315  
Eye Dam. 1, H318  
STOT SE 3, H336  
STOT RE 2, H373 (lungs (inhalation))

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. May cause damage to lungs (by inhalation) through prolonged or repeated exposure. Causes skin irritation. Causes serious eye damage.

- 2.2. Label elements**

#### Hazard pictogram



#### Signal word

Danger

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date 23rd September 2022  
Revision date 03rd March 2023 Version 10.0

### Hazardous substances

propan-2-ol  
adipic acid  
benzoic acid  
triethylamine

### Hazard statements

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to lungs (by inhalation) through prolonged or repeated exposure.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe vapours.  
P280 Wear eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER if you feel unwell.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25-XXXX	propan-2-ol	70-90	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1
Index: 607-144-00-9 CAS: 124-04-9 EC: 204-673-3 Registration number: 01-2119457561-38-XXXX	adipic acid	≤3	Eye Dam. 1, H318	
Index: 607-705-00-8 CAS: 65-85-0 EC: 200-618-2 Registration number: 01-211945536-33-XXXX	benzoic acid	≤3	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 1, H372 (lungs (inhalation))	
Index: 612-004-00-5 CAS: 121-44-8 EC: 204-469-4 Registration number: 01-2119475467-26-XXXX	triethylamine	≤3	Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 3, H311+H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335	1

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling vapours can cause corrosion of the breathing system. Cough, headache. May cause drowsiness or dizziness.

#### If on skin

Causes skin irritation.

#### If in eyes

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date 23rd September 2022  
Revision date 03rd March 2023 Version 10.0

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
100 ml	bottle	HDPE
1000 ml	bottle	HDPE
500 ml	bottle	HDPE

#### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
triethylamine (CAS: 121-44-8)	OEL 8 hours	8,4 mg/m <sup>3</sup>	Skin
	OEL 8 hours	2 ppm	
	OEL 15 minutes	12,6 mg/m <sup>3</sup>	
	OEL 15 minutes	3 ppm	

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

### United Kingdom

### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
propan-2-ol (CAS: 67-63-0)	WEL 8h	999 mg/m <sup>3</sup>	
	WEL 8h	400 ppm	
	WEL 15min	1250 mg/m <sup>3</sup>	
	WEL 15min	500 ppm	
triethylamine (CAS: 121-44-8)	WEL 8h	8 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
	WEL 8h	2 ppm	
	WEL 15min	17 mg/m <sup>3</sup>	
	WEL 15min	4 ppm	

### DNEL

adipic acid

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5 mg/m <sup>3</sup>	Acute effects local		

benzoic acid

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	62.5 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	0.1 mg/l	Chronic effects local		
Workers	Inhalation	3 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	16.6 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	31.25 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	1.5 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	0.06 mg/m <sup>3</sup>	Chronic effects local		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	888 mg/kg	Chronic effects systemic		
Workers	Inhalation	500 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Dermal	319 mg/kg	Chronic effects systemic		
Consumers	Inhalation	89 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	26 mg/kg	Chronic effects systemic		

### PNEC

adipic acid

Route of exposure	Value	Value determination	Source
Drinking water	0.126 mg/l		
Marine water	0.0126 mg/l		
Water (intermittent release)	0.46 mg/l		
Freshwater sediment	0.484 mg/kg		
Sea sediments	0.0484 mg/kg		
Soil (agricultural)	0.0228 mg/kg		
Microorganisms in sewage treatment	59.1 mg/l		

benzoic acid

Route of exposure	Value	Value determination	Source
Drinking water	0.34 mg/l		
Marine water	0.034 mg/l		
Water (intermittent release)	0.331 mg/l		
Freshwater sediment	1.75 mg/kg of dry substance		
Sea sediments	0.175 mg/kg of dry substance		
Soil (agricultural)	0.151 mg/kg of dry substance		
Microorganisms in sewage treatment	100 mg/l		

propan-2-ol

Route of exposure	Value	Value determination	Source
Drinking water	140.9 mg/l		
Marine water	140.9 mg/l		
Freshwater sediment	552 mg/kg		
Sea sediments	552 mg/kg		
Soil (agricultural)	28 mg/kg		

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

### Thermal hazard

Data not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	containing alcohol
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Highly flammable liquid and vapour.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	non-polar/aprotic
Kinematic viscosity	data not available
Solubility in water	partially soluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,86 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

### 9.2. Other information

Evaporation rate	data not available
------------------	--------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date 23rd September 2022  
Revision date 03rd March 2023 Version 10.0

### Acute toxicity

Based on available data the classification criteria are not met.

adipic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	5560 mg/kg		Rat	
Dermal	LD <sub>50</sub>	>7940 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	>77.7 mg/l	4 hours	Rat (Rattus norvegicus)	

benzoic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	2250 mg/kg		Rat	
Inhalation	LC <sub>50</sub>	>12.2 mg/l	4 hours	Rat	
Dermal	LD <sub>50</sub>	>2000 mg/kg		Rabbit	

propan-2-ol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	5840 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	13400 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	25000 mg/m <sup>3</sup>	4 hours	Rat (Rattus norvegicus)	

triethylamine

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	4600 mg/kg		Rat	
Dermal	LD <sub>50</sub>	4100 mg/kg		Rabbit	

### Skin corrosion/irritation

Causes skin irritation.

triethylamine

Route of exposure	Result	Exposure time	Species
	Highly irritating		

### Serious eye damage/irritation

Causes serious eye damage.

adipic acid

Route of exposure	Result	Exposure time	Species
	Serious eye damage		

triethylamine

Route of exposure	Result	Exposure time	Species
	Serious eye damage		

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.



# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

**Toxicity for specific target organ - repeated exposure**

May cause damage to lungs (by inhalation) through prolonged or repeated exposure.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**11.2. Information on other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 12: Ecological information**

**12.1. Toxicity**

**Acute toxicity**

adipic acid

Parameter	Method	Value	Exposure time	Species	Environment
LCO		≥1000 mg/l	96 hours	Fish (Branchydanio rerio)	
LC <sub>50</sub>	OECD 202	46 mg/l	48 hours	Daphnia (Daphnia magna)	
EC <sub>50</sub>	OECD 201	59 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
EC <sub>50</sub>	OECD 209	7911 mg/l	3 hours	Microorganisms	Activated sludge
NOEC	OECD 211	6.3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)	

benzoic acid

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		44.6 mg/l	96 hours	Fish	
EC <sub>50</sub>		>100 mg/l	48 hours	Invertebrates	
EC <sub>50</sub>		>33.1 mg/l	72 hours	Algae	
NOEC		>120 mg/l	28 days	Fish	
EC <sub>50</sub>		102-500 mg/l	24 hours	Invertebrates	
NOEC		≥25 mg/l	21 days	Invertebrates	
NOEC		3.4 mg/l	72 hours	Algae	

propan-2-ol

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		9640 mg/l	96 hours	Fish (Pimephales promelas)	
LC <sub>50</sub>		>10000 mg/l	24 hours	Aquatic invertebrates (Daphnia magna)	
LOEC		1000 mg/l	8 days	Algae (Selenastrum capricornutum)	

triethylamine

Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		43.7 mg/l	96 hours	Fish (Pimephales promelas)	
EC <sub>50</sub>		200 mg/l	48 hours	Daphnia (Daphnia magna)	
LC <sub>50</sub>		95 mg/l	17 hours	Bacteria (Pseudomonas putida)	

**12.2. Persistence and degradability**

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date 23rd September 2022  
Revision date 03rd March 2023 Version 10.0

### Biodegradability

adipic acid

Parameter	Method	Value	Exposure time	Environment	Result
TeorZT	OECD 301D	83 %	30 days		

benzoic acid

Parameter	Method	Value	Exposure time	Environment	Result
					Easily biodegradable

not available

### 12.3. Bioaccumulative potential

benzoic acid

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	1.88				

Data not available.

### 12.4. Mobility in soil

Data not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

11 05 04 spent flux \*

#### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances \*

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1219

### 14.2. UN proper shipping name

ISOPROPANOL

### 14.3. Transport hazard class(es)

3 Flammable liquids

### 14.4. Packing group

II - substances presenting medium danger

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### Additional information

Hazard identification No.	33
UN number	1219
Classification code	F1
Safety signs	3



#### Air transport - ICAO/IATA

Packaging instructions passenger	353
Cargo packaging instructions	364

#### Marine transport - IMDG

EmS (emergency plan)	F-E, S-D
MFAG	305

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to lungs (by inhalation) through prolonged or repeated exposure.
H373	May cause damage to lungs (by inhalation) through prolonged or repeated exposure.
H311+H331	Toxic in contact with skin or if inhaled.

#### Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe vapours.
P280	Wear eye protection.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid
Skin Corr.	Skin corrosion
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Topnik AG-5

Creation date	23rd September 2022	Version	10.0
Revision date	03rd March 2023		

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 10.0 replaces the SDS version from 23 September 2022. Changes were made in sections 1, 2, 13, 15 and 16.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.