

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture: Woda lutownicza
mixture
UFI: ND10-200K-V000-E3KA
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Solder liquid
Main intended use
PC-TEC-24 Welding, soldering, and flux products
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name: AG TermoPasty Grzegorz Gąsowski
Address: Kolejowa 33 E, Sokoły, 18-218
Poland
Identification number (CRN): 200133730
VAT Reg No: PL9661767714
Phone: 862741342
E-mail: biuro@termopasty.pl
Web address: www.termopasty.pl
- Competent person responsible for the safety data sheet**
Name: AG TermoPasty Grzegorz Gąsowski
E-mail: biuro@termopasty.pl
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.
- Skin Corr. 1B, H314
STOT SE 3, H335
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause respiratory irritation. Causes severe skin burns and eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

zinc chloride

Hazard statements

H314

Causes severe skin burns and eye damage.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date 10th November 2022
Revision date 22nd February 2023 Version 7.0

H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 030-003-00-2 CAS: 7646-85-7 EC: 231-592-0 Registration number: 01-2119472431-44-XXXX	zinc chloride	≤10	Acute Tox. 4, H302 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) Specific concentration limit: STOT SE 3, H335: C ≥ 5 %	1
Index: 017-014-00-8 CAS: 12125-02-9 EC: 235-186-4 Registration number: 01-2119489385-24-XXXX	ammonium chloride	<5	Acute Tox. 4, H302 Eye Irrit. 2, H319	1, 2

Notes

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date 10th November 2022
Revision date 22nd February 2023 Version 7.0

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

Content	Packaging type	Material of package
50 ml	bottle	HDPE
100 ml	bottle	HDPE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
fume (CAS: 7646-85-7)	WEL 8h	1 mg/m ³
	WEL 15min	2 mg/m ³
Ammonium chloride, fume (CAS: 12125-02-9)	WEL 8h	10 mg/m ³
	WEL 15min	20 mg/m ³

DNEL

ammonium chloride

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	33.5 mg/m ³	Chronic effects systemic		
Workers	Dermal	190 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	9.9 mg/m ³	Chronic effects systemic		
Consumers	Dermal	114 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	11.4 mg/kg bw/day	Chronic effects systemic		

zinc chloride

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m ³			
Workers	Oral	50 mg/m ³			
Workers	Dermal	500 mg/m ³ /24h			
Consumers	Oral	1.3 mg/m ³			

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date 10th November 2022
Revision date 22nd February 2023 Version 7.0

PNEC

ammonium chloride

Route of exposure	Value	Value determination	Source
Marine water	0.12 mg/l		
Drinking water	1.2 mg/l		
Water (intermittent release)	1.2 mg/l		
Soil (agricultural)	0.163 mg/kg		
Microorganisms in sewage treatment	16.2 mg/l		

zinc chloride

Route of exposure	Value	Value determination	Source
Drinking water	20.6 µg/l		
Marine water	6.1 µg/l		
Microorganisms in sewage treatment	52 µg/l		
Freshwater sediment	117.8 mg/kg of dry substance		
Sea sediments	56.5 mg/kg of dry substance		
Soil (agricultural)	35.6 mg/kg of dry substance		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	5-7 (undiluted)

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

9.2. Other information

Evaporation rate	data not available
------------------	--------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.
ammonium chloride

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	1410 mg/kg		Rat	
Skin	LD ₅₀	>2000 mg/kg		Rat	

zinc chloride

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	1100-1260 mg/kg		Rat	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

ammonium chloride

Route of exposure	Result	Exposure time	Species
	Irritating		

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date 10th November 2022
Revision date 22nd February 2023 Version 7.0

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.
ammonium chloride

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		209 mg/l	96 hours	Fish	Fresh water
LC ₅₀		174 mg/l	96 hours	Fish	Salt water
NOEC		11.8 mg/l	28 days	Fish	Fresh water
NOEC		8 mg/l	28 days	Fish	Salt water
EC ₅₀		101 mg/l	48 hours	Daphnia (Daphnia magna)	
NOEC		14.6 mg/l	28 days	Daphnia (Daphnia magna)	
EC ₅₀		1300 mg/l	5 days	Algae	Fresh water
EC ₅₀		90.4 mg/l	10 days	Algae	Salt water
NOEC		26.8 mg/l	10 days	Algae	Salt water
EC ₅₀	OECD 209	1618 mg/l	30 minutes		Activated sludge

zinc chloride

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		0.86 mg/l	48 hours	Daphnia (Daphnia magna)	
LC ₅₀		0.28 mg/l	72 hours	Algae	

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 3264

14.2. UN proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (chlorek cynku)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

80

UN number

3264

Classification code

C1

Safety signs

8+ hazardous for the environment



SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

Road transport - ADR

Special provisions	274
Limited quantities	1 L
Excepted quantities	E2

Packaging

Packing instructions	P001, IBC02
Mixed packing provisions	MP15

Portable tanks and bulk containers

Guidelines	T11
Special provisions	TP2, TP27

ADR tank

Tank code	L4BN
Special provisions	TU42
Vehicles for tank carriage	AT
Transport category	2
Tunnel restriction code	(E)

Railway transport - RID

Special provisions	274
Excepted quantities	E2

Packaging

Packing instructions	P001, IBC02
Mixed packing provisions	MP15

Portable tanks and bulk containers

Guidelines	T11
Special provisions	TP2, TP27

RID Tanks

Tank code	L4BN
Special provisions	TU42
Transport category	0

Air transport - ICAO/IATA

Packaging instructions for limited amount	Y841
Packaging instructions passenger	852
Cargo packaging instructions	856

Marine transport - IMDG

EmS (emergency plan)	F-A, S-B
MFAG	760

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date 10th November 2022
Revision date 22nd February 2023 Version 7.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

ammonium chloride

Restriction	Conditions of restriction
65	<p>1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m³) under the test conditions specified in paragraph 4.</p> <p>A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and density.</p> <p>A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.</p> <p>2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.</p> <p>3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.</p> <p>4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:</p> <ul style="list-style-type: none">(a) the duration of the test shall be at least 14 days instead of 28 days;(b) the ammonia gas emission shall be measured at least once per day throughout the test;(c) the emission limit shall not be reached or exceeded in any measurement taken during the test;(d) the relative humidity shall be 90 % instead of 50 %;(e) an appropriate method to measure the ammonia gas emission shall be used;(f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 7.0 replaces the SDS version from 10 November 2022. Changes were made in sections 1, 2, 13, 15 and 16.

SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

Woda lutownicza

Creation date	10th November 2022	Version	7.0
Revision date	22nd February 2023		

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.