		_	DATA SHEET	<b>ZL</b> TermoPasi		
		according to Commission R	egulation (EU) 2020/878 a acz Uniwersalny			
Creat	on date		acz Uniwersaniy			
	on date	17th October 2022 28th March 2023	Version	7.0		
		of the substance/mixture		-		
1.1.	Product identifier		Wywoływacz Univ substance	wersainy		
	Substance / mixture Chemical name		disodium metasil	ianto		
	CAS number		10213-79-3	icate		
	EC (EINECS) number		229-912-9			
1.2.	Registration number		012119449811-3			
1.2.		uses of the substance or	mixture and uses advise	ed against		
	Substance's intended use					
	for photoresists					
	Substance uses adv	2				
		ot be used in ways other tha		1.		
1.3.		ier of the safety data she	et			
	Distributor					
	Name or trade i	name		Grzegorz Gąsowski		
	Address		Kolejowa 33 E, S	okoły, 18-218		
			Poland			
	Identification nu	umber (CRN)	200133730			
	VAT Reg No		PL9661767714			
	Phone		862741342			
	E-mail		biuro@termopast	zy.pl		
	Web address		www.termopasty	.pl		
	Competent person	responsible for the safety	data sheet			
	Name		AG TermoPasty G	Grzegorz Gąsowski		
	E-mail		biuro@termopast	zy.pl		
1.4.	Emergency telepho	ne number				
	European emergency	number: 112				

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture Classification of the substance in accordance with Regulation (EC) No 1272/2008 The substance is classified as dangerous.

Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse physico-chemical effects

May be corrosive to metals. **Most serious adverse effects on human health and the environment** Causes severe skin burns and eye damage. May cause respiratory irritation.

### 2.2. Label elements





according to Commission Regulation (EU) 2020/878 as amended

#### Wywoływacz Uniwersalny Creation date 17th October 2022 7.0 Revision date 28th March 2023 Version Dangerous substance disodium metasilicate (EC: 229-912-9; CAS: 10213-79-3) **Hazard statements** H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. **Precautionary statements** P261 Avoid breathing dust. P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P406Store in a corrosion-resistant container/container with a resistant inner liner.P501Dispose of contents/container to according to applicable regulations.

#### 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

### Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 10213-79-3 EC: 229-912-9 Registration number: 012119449811-37- XXXX	substance main component disodium metasilicate	100	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water/shower. Rinse cautiously with water for several minutes.



according to Commission Regulation (EU) 2020/878 as amended

### Wywoływacz Uniwersalny

Creation date	17th October 2022			
Revision date	28th March 2023	Version	7.0	

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

Causes severe skin burns.

#### If in eyes

4.3.

5.2.

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

#### Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. **Unsuitable extinguishing media** 

Water - full jet.

#### Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13. Absorb spillage to prevent material damage.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

### Wywoływacz Uniwersalny

	,,			
Creation date	17th October 2022			
Revision date	28th March 2023	Version	7.0	

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep only in original container. Store locked up. Keep container tightly closed.

#### 7.3. Specific end use(s)

not available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### DNEL

disodium metasilicate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Inhalation	1.55 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	6.22 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	0.74 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	1.49 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	0.74 mg/kg bw/day	Chronic effects systemic		

### PNEC

disodium metasilicate

Route of exposure	Value	Value determination	Source
Drinking water	7.5 mg/l		
Marine water	1 mg/l		
Water (intermittent release)	7.5 mg/l		
Microorganisms in sewage treatment	1000 mg/l		

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

## Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

		SAFETY DA	TA SHEET	<b>AL</b> TermoP	astv
		according to Commission Regulat	ion (EU) 2020/878 as ame		
		Wywoływacz			
Creati	on date	17th October 2022			
Revisi	on date	28th March 2023	Version	7.0	
SECTI	ON 9: Physical	and chemical properties			
9.1.	-	n basic physical and chemical prope	rties		
	Physical state		solid		
	Colour		white		
	Odour		without fragrance		
	Melting point/fr	eezing point	72 °C		
	Boiling point or	initial boiling point and boiling range	data not available		
	Flammability		non-inflammable		
	Lower and uppe	er explosion limit	data not available		
	Flash point		data not available		
	Auto-ignition te	mperature	data not available		
	Decomposition	temperature	data not available		
	pН		>12 (1% solution)		
	Kinematic visco	sity	data not available		
	Solubility in wat	ter	soluble		
	Partition coeffic	ient n-octanol/water (log value)	data not available		
	Vapour pressure	9	data not available		
	Density and/or	relative density			
	Density		1,749 g/cm <sup>3</sup>		
	Relative vapour		data not available		
	Particle charact	eristics	data not available		
	Form		powder		
9.2.	Other informa	tion			
	Evaporation rat	e	non-applicable		

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

The substance is non-flammable.

- **10.2.** Chemical stability The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

## 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents. May be corrosive to metals.

#### **10.6.** Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## No toxicological data is available for the substance.

Acute toxicity

Based on available data the classification criteria are not met. disodium metasilicate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD 50	1152-1349 mg/kg		Rat	
Inhalation	LC50	>2.06 mg/m <sup>3</sup>		Rat	
Skin	LD 50	>5000 mg/kg bw		Rat	

### Skin corrosion/irritation

Causes severe skin burns and eye damage.



according to Commission Regulation (EU) 2020/878 as amended

## Wywoływacz Uniwersalny

	wywoływa	acz Uniwersainy			
Creation date	17th October 2022				
Revision date	28th March 2023	Version	7.0		
Serious eye	damage/irritation				
Causes severe	e skin burns and eye damage.				
Respiratory	or skin sensitisation				
Based on avai	lable data the classification criteria a	are not met.			
Germ cell mu	Itagenicity				
Based on available data the classification criteria are not met.					
Carcinogenicity					
Based on avai	lable data the classification criteria a	are not met.			
Reproductive	e toxicity				
Based on avai	lable data the classification criteria a	are not met.			
Toxicity for s	specific target organ - single exp	osure			
May cause res	piratory irritation.				
Toxicity for s	specific target organ - repeated e	exposure			
Based on avai	lable data the classification criteria a	are not met.			
Aspiration ha	azard				
Based on avai	lable data the classification criteria a	are not met.			
11.2. Information	on other hazards				
not available					

not available

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

## Acute toxicity

disodium metasilicate

Parameter	Value	Exposure time	Species	Environment
LC50	210 mg/l	96 hours	Fish (Branchydanio rerio)	
EC50	1700 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	207 mg/l	72 hours	Algae (Scenedesmus subspicatus)	

#### 12.2. Persistence and degradability Not available.

#### 12.3. Bioaccumulative potential

Not available.

#### 12.4. Mobility in soil

#### Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### **12.6.** Endocrine disrupting properties This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

## 12.7. Other adverse effects

Not available.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.



according to Commission Regulation (EU) 2020/878 as amended

## Wywoływacz Uniwersalny

Creation	date
Revision	date

Version

7.0

### Waste management legislation

17th October 2022

28th March 2023

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## Packaging waste type code

15 01 02 plastic packaging

### **SECTION 14: Transport information**

SECTI	ON 14: Transport information					
14.1.	UN number or ID number					
	UN 3253					
14.2.	UN proper shipping name					
	DISODIUM TRIOXOSILICATE					
14.3.	Transport hazard class(es)					
	8 Corrosive substances					
14.4.	Packing group					
	III - substances presenting low danger					
14.5.	Environmental hazards					
	not relevant					
14.6.	Special precautions for user					
	Reference in the Sections 4 to 8.					
14.7.	4.7. Maritime transport in bulk according to IMO instruments					
	not relevant					
	Additional information					
	Hazard identification No.	80				
	UN number	3253				
	Classification code	C6				
	Safety signs	8				
		念				
	Road transport - ADR	·				
	Limited quantities	5 kg				
	Excepted quantities	F1				
	Packaging	LI				
	Packing instructions	P002, IBC08, LP02, R001				
	Special packing provisions	B3				
	Mixed packing provisions	MP10				
	Portable tanks and bulk containers					
	Guidelines	Т1				
	Special provisions	TP33				
	ADR tank					
	Tank code	SGAV				
	Vehicles for tank carriage	AT				
	Transport category	3				
	Tunnel restriction code	(E)				
	Special provision for	<-/				
	bulk	VV9				



according to Commission Regulation (EU) 2020/878 as amended

#### Wywoływacz Uniwersalny Creation date 17th October 2022 7.0 Revision date 28th March 2023 Version **Railway transport - RID** Excepted quantities E1 Packaging Packing instructions P002, IBC08, LP02, R001 Special packing provisions B3 Mixed packing provisions MP10 Portable tanks and bulk containers Guidelines Τ1 Special provisions **TP33 RID Tanks** Tank code SGAV Transport category 0 Special provision for bulk VW 9 Air transport - ICAO/IATA Y845 Packaging instructions for limited amount Packaging instructions passenger 860 Cargo packaging instructions 864 Marine transport - IMDG EmS (emergency plan) F-A, S-B

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

## A list of standard risk phrases used in the safety data sheet

Other important information about human health protection						
P501	Dispose of contents/container to according to applicable regulations.					
P406	Store in a corrosion-resistant container/container with a resistant inner liner.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.					
P280	Wear protective gloves/protective clothing/eye protection/face protection.					
P262	Do not get in eyes, on skin, or on clothing.					
P261	Avoid breathing dust.					
Guidelines for safe handling used in the safety data sheet						
H335	May cause respiratory irritation.					
H318	Causes serious eye damage.					
H314	Causes severe skin burns and eye damage.					
H290	May be corrosive to metals.					

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.



according to Commission Regulation (EU) 2020/878 as amended

## Wywoływacz Uniwersalny

	Wywoływacz Uniwersalny						
reation date	17th October 2022						
evision date	28th March 2023Version7.0						
Key to abbrev	tions and acronyms used in the safety data sheet						
ADR	European agreement concerning the international carriage of dangerous good road	is by					
BCF	Bioconcentration Factor						
CAS	Chemical Abstracts Service						
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures						
EC	Identification code for each substance listed in EINECS						
EC₅o	Concentration of a substance when it is affected 50% of the population						
EINECS	European Inventory of Existing Commercial Chemical Substances						
EmS	Emergency plan						
EU	European Union						
EuPCS	European Product Categorisation System						
IATA	International Air Transport Association						
IBC	International Code For The Construction And Equipment of Ships Carrying						
ibe	Dangerous Chemicals						
ICAO	International Civil Aviation Organization						
IMDG	International Maritime Dangerous Goods						
IMO	International Maritime Organization						
INCI	International Nomenclature of Cosmetic Ingredients						
ISO	International Organization for Standardization						
IUPAC	International Union of Pure and Applied Chemistry						
		<b></b>					
LC <sup>50</sup>	Lethal concentration of a substance in which it can be expected death of 50% population	) or the					
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population						
log Kow	Octanol-water partition coefficient						
OEL	Occupational Exposure Limits						
PBT	Persistent, Bioaccumulative and Toxic						
ppm	Parts per million						
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals						
RID	Agreement on the transport of dangerous goods by rail						
UN	Four-figure identification number of the substance or article taken from the U Model Regulations	N					
UVCB	Substances of unknown or variable composition, complex reaction products o biological materials	r					
VOC	Volatile organic compounds						
vPvB	Very Persistent and very Bioaccumulative						
Eye Dam.	Serious eye damage						
Met. Corr.	Corrosive to metals						
Skin Corr.	Skin corrosion						
STOT SE	Specific target organ toxicity - single exposure						
ways of handlin	nnel about the recommended ways of use, mandatory protective equipment, first aid and pother the product.	rohibit					
	restrictions of use						
not available							
Information a	out data sources used to compile the Safety Data Sheet						
REGULATION (	C) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as a	mende					

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 7.0 replaces the SDS version from 03 February 2023. Changes were made in sections 2, 15 and 16.

#### Statement



according to Commission Regulation (EU) 2020/878 as amended

## Wywoływacz Uniwersalny

Creation date	17th October 2022					
Revision date	28th March 2023	Version	7.0			

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.