

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture Rozdzielacz bezsilikonowy do form mixture  
UFI G630-P0GX-900D-98TP
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Lubricating agent.  
**Main intended use**  
PC-TEC-26 Products for molding, casting, rigid and flexible foams, including resin mixtures (excludes adhesives, construction products, paints and coatings)  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name AG TermoPasty Grzegorz Gąsowski  
Address Kolejowa 33 E, Sokoły, 18-218 Poland  
Identification number (CRN) 200133730  
VAT Reg No PL9661767714  
Phone 862741342  
E-mail biuro@termopasty.pl  
Web address www.termopasty.pl
- Competent person responsible for the safety data sheet**  
Name AG TermoPasty Grzegorz Gąsowski  
E-mail biuro@termopasty.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H229, H222

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

- 2.2. Label elements**  
**Hazard pictogram**



#### Signal word

Danger

#### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

- P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	55,2-73,6	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	18,4-36,8	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
EC: 920-750-0 Registration number: 01-2119473851-33-XXXX	C7-C-9, n-alkanes	2,146	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

Unlikely.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

Not expected.

#### If in eyes

When intruding eyes, it can evoke irritation.

#### If swallowed

Not expected.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
400 ml	airspray	FE

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### DNEL

C7-C-9, n-alkanes

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	773 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	2035 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Dermal	699 mg/kg bw/day	Chronic effects systemic		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

C7-C-9, n-alkanes

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Inhalation	608 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	699 mg/kg bw/day	Chronic effects systemic		

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	gas
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,788 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available
Form	spray

### 9.2. Other information

Evaporation rate	non-applicable
------------------	----------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Pressurised container: May burst if heated.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

C7-C-9, n-alkanes

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	>5840 mg/kg		Rat	
Skin	LD <sub>50</sub>	>2920 mg/kg		Rat	
Inhalation	LC <sub>50</sub>	>23.3 mg/l	4 hours	Rat	
Oral	ATE	>2000 mg/kg			
Skin	ATE	>2000 mg/kg			
Inhalation (dust/mist)	ATE	>20 mg/l	4 hours		

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

C7-C-9, n-alkanes

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	3 mg/l	96 hours	Fish (Oncorhynchus mykiss)	

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

C7-C-9, n-alkanes

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	4.5 mg/l	48 hours	Aquatic invertebrates (Daphnia magna)	
EL <sub>50</sub>	10 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

### Chronic toxicity

C7-C-9, n-alkanes

Parameter	Value	Exposure time	Species	Environment
NOEL	0.574 mg/l	28 days	Fish (Oncorhynchus mykiss)	
NOEC	0.17 mg/l	21 hours	Aquatic invertebrates (Daphnia magna)	

### 12.2. Persistence and degradability

#### Biodegradability

C7-C-9, n-alkanes

Parameter	Value	Exposure time	Environment	Result
	>74 %	28 days		Biodegradable

Not available.

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances \*

#### Packaging waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended


## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

### SECTION 14: Transport information

- 14.1. UN number or ID number**  
UN 1950
- 14.2. UN proper shipping name**  
AEROSOLS
- 14.3. Transport hazard class(es)**  
2 Gases
- 14.4. Packing group**  
not relevant
- 14.5. Environmental hazards**  
not relevant
- 14.6. Special precautions for user**  
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**  
not relevant

#### Additional information

Hazard identification No.	
UN number	1950
Classification code	5F
Safety signs	2.1



#### Air transport - ICAO/IATA

Packaging instructions passenger	203
Cargo packaging instructions	203

#### Marine transport - IMDG

EmS (emergency plan)	F-D, S-U
MFAG	620

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date 14th February 2023  
Revision date Version 3.0

### Guidelines for safe handling used in the safety data sheet

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### A list of additional standard phrases used in the safety data sheet

- EUH066 Repeated exposure may cause skin dryness or cracking.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.

### Key to abbreviations and acronyms used in the safety data sheet

- ADR European agreement concerning the international carriage of dangerous goods by road
- BCF Bioconcentration Factor
- CAS Chemical Abstracts Service
- CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
- EC Identification code for each substance listed in EINECS
- EC<sub>50</sub> Concentration of a substance when it is affected 50% of the population
- EINECS European Inventory of Existing Commercial Chemical Substances
- EL<sub>50</sub> Effective Loading for 50% of the tested organisms
- EmS Emergency plan
- EU European Union
- EuPCS European Product Categorisation System
- IATA International Air Transport Association
- IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- IMO International Maritime Organization
- INCI International Nomenclature of Cosmetic Ingredients
- ISO International Organization for Standardization
- IUPAC International Union of Pure and Applied Chemistry
- LC<sub>50</sub> Lethal concentration of a substance in which it can be expected death of 50% of the population
- LD<sub>50</sub> Lethal dose of a substance in which it can be expected death of 50% of the population
- log K<sub>ow</sub> Octanol-water partition coefficient
- NOEC No observed effect concentration
- NOEL No observed effect level
- OEL Occupational Exposure Limits
- PBT Persistent, Bioaccumulative and Toxic
- ppm Parts per million
- REACH Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID Agreement on the transport of dangerous goods by rail
- UN Four-figure identification number of the substance or article taken from the UN Model Regulations
- UVCB Substances of unknown or variable composition, complex reaction products or biological materials
- VOC Volatile organic compounds
- vPvB Very Persistent and very Bioaccumulative
- Aerosol Aerosol
- Aquatic Chronic Hazardous to the aquatic environment (chronic)
- Asp. Tox. Aspiration hazard
- Flam. Gas Flammable gas



# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Rozdzielacz bezsilikonowy do form

Creation date	14th February 2023	Version	3.0
Revision date			

Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 26 August 2021. Changes were made in sections 1, 2, 12, 15 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.